VOLUME 68: AUTHOR INDEX

A
ABBOTT M *see* PATEL R *et al*
ABLON G *see* STRAZZI S *et al*
ADLER M W *see* SCOULAR A and ADLER M W
AGARWAL U S, MALPANI S, MATHUR N K: Annular lesions in congenital syphilis: *correspondence*, **195**
AHMED I H *see* ROGSTAD K E *et al*
AHMED-JUSHUF I H *see* WHITE D J *et al*
ALAWATTEGAMA A B *see* WILLIAMS O E and ALAWATTEGAMA A B
ÅNESTAD G *see* NILSEN A *et al*
ARARU T *see* HAWKES S *et al*
ARIYANAYAGAM S, MONTEIRO F: Choosing equipment for treating genital warts: *correspondence*, **144**
ARYA O P: Safe sex and women: *matters arising*, **200**
PLUMB J B: Seamen's dispensary, Liverpool 1924-1991, **84**
see also WILLIAMS O E *et al*
ASBOE D, BOAG F, EVANS B: Women's health: potential for better co-ordination of services: *matters arising*, **65**

B
BALANZO X *see* SAVALL R *et al*
BALLARD R C *see* FREINKEL A L *et al*
BARBERÁ J *see* DASI M A *et al*
BARBERÁ J L *see* DASI M A *et al*
BARKER K F, HOLLIMAN R E: Laboratory techniques in the investigation of toxoplasmosis, **55**
BARTON S E *see* KELL P D *et al*
NELSON M R *et al*
SHAH P N *et al*
BASSETT I *see* DONOVAN B *et al*
BAURIAUD R *see* LEFEVRE J C *et al*
BEECHAM M *see* WILLIAMS I G *et al*
BEEVOR A S *see* McCARTHY G A *et al*
BEHETS F *see* VAN DYCK E *et al*
BELL D *see* COKER R J *et al*
BELLI L *see* LASSUS A *et al*
BELLO C S S, OPAJOBI S O, OKOLO S N, OLAREWAJU R S, IDOKO L O: Hepatitis-B virus infection in sexually transmitted disase clinic attenders in an African city (Jos, Nigeria): *correspondence*, **342**
BERG G M v d, LILLIEBORG S, STOLZ E: Lidocaine/prilocaine cream (EMLA(R)) versus infiltration anaesthesia: a comparison of the analgesic efficacy for punch biopsy and electrocoagulation of genital warts in men, **162**
BERGSTRÖM S, HEDERSTEDT B: Materno-fetal transmission of syphilis in Mozambican parturients: *correspondence*, **141**
BERTRAND M A *see* LEFEVRE J C *et al*
BHAVE G G *see* MALI B N *et al*
BIANCHI C *see* PARAZZINI F *et al*
BIGNELL C J *see* JAMES N J *et al*
BLOCKLEY J R *see* BRETT M S Y *et al*
BOAG F *see* ASBOE D *et al*
BOAG F C *see* KELL P D *et al*
McCARTHY G A *et al*
BOND R A *see* EVANS B A *et al*
BONSOR G *see* LACEY C J N *et al*
BOOK REVIEWS
CURTIS H, *editor*: Promoting sexual health, 1992, **427**
KOFF W C, WONG-STAAL F, KENNEDY R C, *editors*: Aids research reviews, volume 2, 1992, **427**
MOORDHOEK G T: Syphilis and yaws. A molecular study to detect and differentiate pathogenic triponemes, **67**
BOR R, ELFORD J, MURRAY D, SALT H, TILLING J, MILLER R, JOHNSON M: Social care services for patients with HIV at a London teaching hospital: an evaluation, **382**
see also MILLER R and BOR R
BORCHARDT K A, HERNANDEZ V, MILLER S, LOAICIGA K, CRUZ L, NARANJO S, MAIDA N: A clinical evaluation of trichomoniasis in San Jose, Costa Rica using the InPouch TV test, **328**
BORG A J *see* TABRIZI S N *et al*
BRADBEER C *see* DIMIAN C *et al*
BRETT M S Y, DAVIES H G D, BLOCKLEY J R, HEFFERNAN H M: Antibiotic susceptibilities, serotypes and auxotypes of *Neisseria gonorrhoeae* isolated in New Zealand, **321**
BROOKES J L, HAYWOOD S, GREEN J: Prodromal symptoms in genital herpes simplex infection: *correspondence*, **347**
BYEON S W *see* LEE J B *et al*
BYGDEMAN S *see* VAN DYCK E *et al*

C
CAINELLI T *see* PARAZZINI F *et al*
CAMARENA J J *see* DASI M A *et al*
CAREY P B *see* DHAR J and CAREY P B
CARLINO A *see* PARAZZINI F *et al*
CARNE C A *see* ROWEN D *et al*
CARTLEDGE J *see* NELSON M R *et al*
CHAN R K W *see* CHEONG L L *et al*
CHANGALUCHA J *see* MAYAUD P *et al*
CHATTERTON J M W, HO YEN D O: Laboratory investigation of *Pneumocystis carinii* pneumonia, **336**
CHATTOPADHYAY B: Carriage of *Chlamydia trachomatis* by elderly people: *correspondence*, **194**
CHEONG L L, CHAN R K W, NADARAJAH M: Perfloxacin and ciprofoloxacin in the treatment of uncomplicated gonococcal urethritis in males, **260**: correction, **428**
CHUNG K Y *see* LEE J B *et al*
CLARKE A M T *see* LACEY C J N *et al*
COCKELL A P *see* McCARTHY G A *et al*
COETZEE K D *see* O'FARRELL N *et al*
COKER R J, BELL D, PETERS B S, MURPHY S M: Cavitating pulmonary cryptococcosis developing in an HIV antibody patient despite prior treatment with fluconazole, **42**
see also CROWLEY S *et al*
CONNOLLY S *see* MANJI H *et al*
COPPER P *see* ROWEN D *et al*
COTTINGHAM J, HUNTER D: *Chlamydia trachomatis* and oral contraceptive use: a quantitative review, **209**
COTTRILL C P, MOXHAM J, GALLIMORE A P, SPITTLE M F, MICHAELS L, MILLER R F: AIDS related primary intrathoracic lymphoma: *clinico-pathological conference*, **235**
COUTINHO R A, RIJSDIJK A J, VAN DEN HOEK J A R, LEENT-VAAR-KUIJPERS A: Decreasing incidence of PID in Amsterdam, **353**
CROWLEY S, COKER R J, MURPHY S M: Concurrent salmonellosis and histoplasmosis in AIDS: an unusual co-existence in Britain, **258**
CRUZ L *see* BORCHARDT K A *et al*
CURRY A *see* LACEY C J N *et al*

D
DANGOR Y *see* FREINKEL A L *et al*
DAROUGAR S *see* DUNCAN M E *et al*
DASI M A, NOGUEIRA J M, CAMARENA J J, GIL C, GARCÍA-VERDÚ R, BARBERÁ J L, BARBERÁ J: Genomic fingerprinting of penicillinase-producing strains of *Neisseria gonorrhoeae* in Valencia, Spain, **170**
DAVEY T *see* SHERR L *et al*
DAVIES I G D *see* BRETT M S Y *et al*
DE MAUBEUGE J *see* KINGHORN G R *et al*
DE SILVA A H, SIVAPALAN S, HARINDRA V, ROY R B: Emerging incidence of vulval intra-epithelial neoplasia in young women with genital warts: *correspondence*, **346**
DE VILLIERS E-M: Laboratory techniques in the investigation of human papillomavirus infection, **50**
DEMBA E *see* ISON C A *et al*
DERUITER A, WEBB A, MINDEL A, SCARAVILLI F, MICHAELS L, MILLER R F: Intensive care for advanced HIV disease: *clinico-pathological conference*, **154**
DHAR J, CAREY P B: Heterosexual transmission of HBV in Caucasians attending a Genitourinary Medicine clinic: *matters arising*, **199**
DIETRICH M, HOOSEN A A, MOODLEY J, MOODLEY S: Urogenital tract infections in pregnancy at King Edward VIII Hospital, Durban, South Africa, **39**
DIMIAN CA, NAYAGAM M, BRADBEER C: The association between sexually transmitted diseases and inflammatory cervical cytology, **305**
DINSMORE W W *see* HANDLEY J M *et al*
DIXON C A *see* ROGSTAD K E *et al*
DIXON G *see* WILLIAMS O E *et al*
DONOVAN B, ROHRSHEIM R, BASSETT I, MULHALL B P: Bullous impetigo in homosexual men—a risk marker for HIV-1 infection?, **159**
D'ORO L C *see* PARAZZINI F *et al*
DUHAMEL M *see* VAN DYCK E *et al*
DUNCAN M E, JAMIL Y, TIBAUX G, PELZER A, MEHARI L, DAROUGAR S: Seroepidemiological and socioeconomic studies of genital chlamydial infection in Ethiopian women, **221**

E
EASMON C S F, HAY P E, ISON C A: Bacterial vaginosis: a diagnostic approach, **134**
see also ISON C A *et al*
EKEGREN M-B *see* MARES I *et al*
ELFORD J *see* BOR R *et al*
ENGELKENS H J H, KANT M, ONVLEE P C, STOLZ E, VAN DER SLUIS J J: The influence of different sera on the in vitro immobilisation of Percoll purified *Treponema pallidum*, Nichols strain, **20**
ENGST R *see* KINGHORN G R *et al*
ESTREICH S, FORSTER G E: Sexually transmitted diseases in children: introduction, **2**: *correspondence*, **423**
EVANS B *see* ASBOE D *et al*
WILLIAMS I G *et al*
EVANS B A
BOND R A, MacRAE K D: A colposcopic case-control study of cervical squamous intraepithelial lesions in women with anogenital warts, **300**
KELL P D: Increased incidence of cervical cytological abnormalities in women with genital warts: *correspondence*, **145**
EVANS D T P: Failure of single dose ceftriaxone in donovanosis (granuloma inguinale): *correspondence*, **146**
In search of an optimum method for the sterilisation of a cryoprobe in a sexually transmissible diseases clinic: *correspondence*, **275**
EVANS J K, SCOULAR A, MILLER R F: Cytomegalovirus and AIDS: *correspondence*, **60**

F
FENWICKE R J *see* MEEKIN G E *et al*
FERNANDEZ J L *see* SAVALL R *et al*
FILHO L A *see* LASSUS A *et al*
FOIDART J M *see* KINGHORN G R *et al*
FONG I W: The value of chronic suppressive therapy with itraconazole versus clotrimazole in women with recurrent vaginal candidiasis, **374**
The value of treating the sexual partners of women with recurrent vaginal candidiasis with ketoconazole, **174**
FORSMAN L *see* MARES I *et al*
FORSTER G E *see* ESTREICH S and FORSTER G E
FRASER P *see* LACEY C J N *et al*
FREINKEL A L, DANGOR Y, KOORNHOF H J, BALLARD R C: A serological test for granuloma inguinale, **269**
FRENCH P, JOHNSON M A, MICHAELS L, MILLER R F: Fulminant bonchopulmonary Kaposi's sarcoma, **11**
FRENCH P D, GILSON R J C: Conference Report: The International Society for STD Research Ninth International Meeting, Banff, Canada, October 1991, **189**

G
GALLIMORE A P *see* COTTRILL C P *et al*
GARCÍA-VERDÚ R *see* DASI M A *et al*
GARLAND S M *see* TABRIZI S N *et al*
GASCOYNE-BINZI D M, HAWKEY P M, HERITAGE J, TURNER A, NADARAJAH M: World-wide distribution of high level tetracycline-resistant *Neisseria gonorrhoeae*: *matters arising*, **277**
GAZZARD B G *see* NELSON M R *et al*
GEOFFRAY C *see* STRAZZI S *et al*
GIL C *see* DASI M A *et al*
GILL S K, LOVEDAY C, GILSON R J C: Transmission of HIV-1 infection by oroanal intercourse, **254**
GILLES P A *see* JAMES N J *et al*
GILSON R J C: Sexually transmitted hepatitis: a review, **123**
see also FRENCH P D and GILSON R J C; GILL S K *et al*
GRAEFEMBERGHI S *see* PARAZZINI F *et al*
GRANGER S E *see* TOBIN J M *et al*
GRANT A, SARGENT C, WELLER I V D, SCARAVILLI F, MICHAELS L, MILLER R F: Disseminated cytomegalovirus infection, **75**
GRAY J J, WREGHITT T G: Laboratory techniques in the diagnosis and assessment of hepatitis B virus infection, **263**
GREEN J *see* BROOKES J L *et al*
GRIFFITHS M: Increased incidence of cervical cytological abnormalities in women with genital warts: *correspondence*, **145**
GRIFFITHS P D *see* PILLAY D and GRIFFITHS P D
GROSSKURTH H *see* MAYAUD P *et al*

H
HALSOS A *see* NILSEN A *et al*
HANDLEY J M, MAW R D, HORNER T, LAWTHER H, WALSH M, DINSMORE W W: A placebo controlled observer blind immunocytochemical and histologic study of epithelium adjacent to anogenital warts in patients treated with systemic interferon alpha in combination with cryotherapy or cryotherapy alone, **100**
HANSEN E *see* NILSEN A *et al*
HARINDRA V *see* DE SILVA A H *et al*
HARRIS J R W *see* HILLMAN R J *et al*
HART G: Factors associated with genital chlamydial and gonococcal infection in females, **217**
Factors associated with pediculosis pubis and scabies, **294**
HAWKES S, MALIN A, ARARU T, MABEY D: HIV infection among heterosexual travellers attending the Hospital for Tropical Diseases, London, **309**
HAWKEY P M *see* GASCOYNE-BINZI D M *et al*
HAWKSWELL J, NATHAN M: Lichen sclerosus and acute urinary obstruction, **177**
HAY P E *see* EASMON C S F *et al*
HAY R J: Laboratory techniques in the investigation of fungal infections, **409**
HAYES R *see* MAYAUD P *et al*
HAYWOOD S *see* BROOKES J L *et al*
HEDBLAD M-A *see* WIKSTRÖM A *et al*
HEDERSTEDT B *see* BERGSTRÖM S and HEDERSTEDT B
HEDGE B *see* SHERR L *et al*
HEFFERNAN H M *see* BRETT M S Y *et al*
HERITAGE J *see* GASCOYNE-BINZI D M *et al*
HERNANDEZ V *see* BORCHARDT K A *et al*
HICKS D A: Large loop excision of the transformation zone (LLETZ) or loop diathermy: *correspondence*, **196**
see also PATEL R *et al*
HILLMAN R J
WALDRON S, WALKER M M, HARRIS J R W: Granuloma annulare of the penis, **47**
WALKER M M, HARRIS J R W, TAYLOR-ROBINSON D: Penile dermatoses: a clinical and histopathological study, **166**
HO YEN D O *see* CHATTERTON J M W and HO YEN D O
HOLLIMAN R E *see* BARKER K F and HOLLIMAN R E
HOOSEN A A *see* DIETRICH M *et al*
O'FARRELL N *et al*
HORNER T *see* HANDLEY J M *et al*
HUNTER D *see* COTTINGHAM J and HUNTER D

I
IATRAKIS G M *see* SHAH P N *et al*
IDOKO L O *see* BELLO C S S *et al*
ILSON C A, PEPIN J, ROOPE N S, DEMBA E, SECKA O, EASMON C S F: The dominance of a multiresistant strain of *Neisseria gonorrhoeae* among prostitutes and STD patients in The Gambia, **356**
IMBERTI G L *see* PARAZZINI F *et al*
ISON C A *see* EASMON C S F *et al*

J
JAISWAL A K: An unusual foreign body in the preputial sac, **334**
JAMES N J, GILLES P A, BIGNELL C J: HIV testing in genitourinary medicine—sustained increased demand in 1991: *correspondence*, **275**: correction, **428**
JAMIL Y *see* DUNCAN M E *et al*
JARIKRE L N: *Mycobacterium gordonae* genitourinary disease, **45**
JARLBRO G *see* PERSSON E and JARLBRO G
JÅRNMARK O *see* MARES I *et al*
JOHANSEN A *see* NILSEN A *et al*
JOHANSSON B *see* WIKSTROM A *et al*
JOHNSON A M *see* WILLIAMS I G *et al*
JOHNSON M *see* BOR R *et al*
JOHNSON M A *see* FRENCH P *et al*
LIPMAN M C I and JOHNSON MA
JOSHI J V *see* MALI B N *et al*

K
KA-GINA G *see* MAYAUD P *et al*
KALANTARI M *see* WIKSTRÖM A *et al*
KALEELULLAH M C A *see* MURUGAN S *et al*
KANDELL B *see* MARES I *et al*
KANT M *see* ENGELKENS H J H *et al*
KAPTUE L *see* ZEKENG L *et al*
KEANE F E A *see* YOUNG S M and KEANE F E A
KELL P D, BARTON S E, BOAG F C: Incorporating patients' views in planning services for women with HIV infection, **233**
see also EVANS B A and KELL P D; McCARTHY G A *et al*; SHAH P N *et al*
KHNG H P *see* POH C L *et al*
KINGHORN G R: Addressing the psychosocial needs of genital herpes sufferers: *correspondence*, **424**
WOOLLEY P D, THIN R N T, DE MAUBEUGE J, FOIDART J M, ENGST R: Acyclovir vs isoprinosine (immunovir) for suppression of recurrent genital herpes simplex infection, **312**
see also MORTON R S and KINGHORN G R
KITCHEN V S *see* SHAH P N *et al*
KLIMENT J *see* PEC J *et al*
KOORNHOF H J *see* FREINKEL A L *et al*
KROON S *see* OLIVARIUS F de F *et al*
KRVAVAC Š: Antitrichomonal (cross) immunity as an important factor in vulvar vestibulitis syndrome pathogenesis: *correspondence*, **196**
KYNASTON J *see* WILLIAMS O E *et al*

L
LA VECCHIA C *see* PARAZZINI F *et al*
LACEY C J N, CLARKE A M T, FRASER P, METCALFE T, BONSOR G, CURRY A: Chronic microsporidian infection of the nasal mucosae, sinuses and conjunctivae in HIV disease, **179**
LACEY H B, NESS A, MANDAL B K: Vulval ulceration associated with foscarnet, **182**
LAGA M *see* VAN DYCK E *et al*
LAIRD S M: Granuloma annulare of the penis: *matters arising*, **277**
LARENG M B *see* LEFEVRE J C *et al*
LASSUS A, FILHO L A, SANTOS M F Q, BELLI L: Comparison of fleroxacin and penicillin G plus probenecid in the tretment of acute uncomplicated gonococcal infections, **317**
LAWRENCE C *see* MELLANBY A *et al*
LAWTHER H *see* HANDLEY J M *et al*
LAZÁROVÁ Ž *see* PÉČ J *et al*
LEBBE C *see* STRAZZI S *et al*
LEE J B, BYEON S W, CHUNG K Y, LEE M G, WHANG K K: Syphilis prevalence is rapidly decreasing in South Korea: *correspondence*, **60**
LEE M G *see* LEE J B *et al*
LEENTVAAR-KUIJPERS A *see* COUTINHO R A *et al*
LEFEVRE J C, BERTRAND M A, BAURIAUD R, LARENG M B: False positive reactions occurring with the Captia Syphilis-G EIA, in sera from patients with Lyme disease: *correspondence*, **142**
LILLIEBORG S *see* BERG G M v d *et al*
LIM C K *see* POH C L *et al*
LINDBERG M *see* WIKSTRÖM A *et al*
LIPMAN M C I, JOHNSON M A: Resuscitation in HIV: *editorial*, **151**
LOAICIGA K *see* BORCHARDT K A *et al*
LOH G K *see* POH C L *et al*
LOO P *see* TOBIN J M *et al*
LOUW S *see* MEYER M P *et al*
LOVEDAY C *see* GILL S K *et al*
LUCAS S B *see* MABEY D C W *et al*
LYNGE E *see* OLIVARIUS F de F *et al*

M
MABEY D *see* HAWKES S *et al*
MAYAUD P *et al*
MABEY D C W, LUCAS S B, MILLER R F: Non-tuberculous cavitary disease in a West African man with AIDS, **405**
McCARTHY G A, COCKELL A P, KELL P D, BEEVOR A S, BOAG F C: A women-only clinic for HIV, genitourinary medicine and substance misuse, **386**
McMILLAN A *see* YOUNG H *et al*
MacRAE K D *see* EVANS B A *et al*
MAIDA N *see* BORCHARDT K A *et al*
MALET R, YOUNG S M: 1991 Survey of cervical cytology in English genitourinary medicine clinics: *correspondence*, **198**
see also WHITE D J *et al*
MALI B N, JOSHI J V, BHAVE G G, WAGLE U D: Cervical cytology in prostitutes of Bombay (INDIA): *correspondence*, **62**
MALIN A *see* HAWKES S *et al*
MANJI H *et al*
MALPANI S *see* AGARWAL U S *et al*
MANDAL B K *see* LACEY H B *et al*
MANJI H, MALIN A, CONNOLLY S: CMV polyradiculopathy in AIDS—suggestions for new strategies in treatment: *correspondence*, **192**
MARES I, JÄRNMARK O, KANDELL B, EKEGREN M-B, SVENSSON L, VILHELMSSON B, FORSMAN L: Screening for asymptomatic *Chlamydia trachomatis* infection in adolescent men by examination of voided urine: *correspondence*, **344**
MARKOS A R, WADE A A H, WALZMAN M: Oral sex and recurrent vulvo-vaginal candidiasis: *correspondence*, **61**
MASKELL R: The diagnosis of prostatitis: *correspondence*, **144**
MATHUR N K *see* AGARWAL U S *et al*
MATONDO P: National STD trends in Zambia: 1987-89: *correspondence*, **192**
MAW R D *see* HANDLEY J M *et al*
MAYAUD P, CHANGALUCHA J, GROSSKURTH H, KA-GINA G, RUGEMALILA J, NDUBA J, NEWELL J, HAYES R, MABEY D: The value of urine specimens in screening for male urethritis and its microbial aetiologies in Tanzania, **361**
MBAYA P *see* NDUMBE P M *et al*
MEEKIN G E, SPARROW M J, FENWICKE R J, TOBIAS M: Prevalence of genital human papillomavirus infection in Wellington women, **228**
MEHARI L *see* DUNCAN M E *et al*
MELLANBY A, PHELPS F, LAWRENCE C, TRIPP J H: Teenagers and the risks of sexually transmitted diseases: a need for the provision of balanced information, **241**
MERCEY D: Clinical audit in genitourinary medicine. "Why, Who, What, How and When?": *editorial*, **205**
METCALFE T *see* LACEY C J N *et al*
MEYER M P: Criteria for early congenital syphilis—a perspective from Africa, **290**
RODITI D, LOUW S: IgM rheumatoid factor removal and performance of the FTA-ABS (IgM) test in congenital syphilis, **249**
MEZZANOTTE C *see* PARAZZINI F *et al*
MICHAELS L *see* COTTRILL C P *et al*
DERUITER A *et al*
FRENCH P *et al*
GRANT A *et al*
MILLER R, BOR R: Pre-HIV antibody testing—too much fuss?, **9**
see also BOR R *et al*; WILLIAMS I G *et al*
MILLER R F *see* COTTRILL C P *et al*
DERUITER A *et al*
EVANS J K *et al*
FRENCH P *et al*
GRANT A *et al*
MABEY D C W *et al*
MILLER S *see* BORCHARDT K A *et al*
MINDEL A: Improvements in design and substance: *editorial*, **1**
see also DERUITER A *et al*
MOK J Y Q: Sexually transmitted diseases in children: HIV infection, **283**
MOLINA J M *see* STRAZZI S *et al*
MONTEIRO F *see* ARIYANAYAGAM S and MONTEIRO F
MOODLEY J *see* DIETRICH M *et al*
MOODLEY S *see* DIETRICH M *et al*
MOREL P *see* STRAZZI S *et al*
MORRISON A W: On syphilis and the ear—an otologist's view, **420**
MORTON R S, KINGHORN G R: Sexually transmitted disease (STD) control: *correspondence*, **197**
MOSENG D *see* NILSEN A *et al*
MOSS T R: Terminology in cervical cytology/cervical histopathology: *correspondence*, **274**
MOXHAM J *see* COTTRILL C P *et al*
MOYES A *see* YOUNG H *et al*
MULHALL B P *see* DONOVAN B *et al*
MURPHY S M *see* COKER R J *et al*
CROWLEY S *et al*
MURRAY D *see* BOR R *et al*
MURUGAN S, SRINIVASAN G, KALEELULLAH M C A, RAJKUMAR L: A case report of lymphangioma circumscriptum of the vulva, **331**

N
NADARAJAH M *see* CHEONG L L *et al*
GASCOYNE-BINZI D M *et al*
NALDI L *see* PARAZZINI F *et al*
NARANJO S *see* BORCHARDT K A *et al*
NATHAN M *see* HAWKSWELL J and NATHAN M
NAYAGAM M *see* DIMIAN C *et al*
NDUBA J *see* MAYAUD P *et al*
NDUMBE P M, WATONSI E, NYAMBI P, MBAYA P, YANGA D: Sexually transmitted infections in selected high risk populations in Cameroon: *correspondence*, **193**
NEGRI E *see* PARAZZINI F *et al*
NELSON M R, CARTLEDGE J, BARTON S E, GAZZARD B G: Fourniers gangrene following hyfrecation in a male infected with the human immunodeficiency virus, **401**
NESS A *see* LACEY H B *et al*
NEWELL J *see* MAYAUD P *et al*
NILSEN A, HALSOS A, JOHANSEN A, HANSEN E, TØRUD E, MOSENG D, ÅNESTAD G, STØRVOLD G: A double blind study of single dose azithromycin and doxycycline in the treatment of chlamydial urethritis in males, **325**
NOGUEIRA J M *see* DASI M A *et al*
NOVOMESKÝ F *see* PÉČ J *et al*
NYAMBI P *see* NDUMBE P M *et al*
NZILA M *see* VAN DYCK E *et al*

O
O'FARRELL N: Trends in reported cases of donovanosis in Durban, South Africa, **366**
HOOSEN A A, COETZEE K D, VAN DEN ENDE J: Sexual behaviour in Zulu men and women with genital ulcer disease, **245**
OKOLO S N *see* BELLO C S S *et al*
OLAREWAJU R S *see* BELLO C S S *et al*
OLIVARIUS F de F, WORM A-M, PETERSEN C S, KROON S, LYNGE E: Sexual behaviour of women attending an inner-city STD clinic before and after a general campaign for safer sex in Denmark, **296**
O'MAHONY C, TIMMINS D: Treatment failure using double dose ciprofloxacin in a case of highly resistant gonorrhoea: *correspondence*, **274**
ONVLEE P C *see* ENGELKENS H J H *et al*
OPAJOBI S O *see* BELLO C S S *et al*
ORIEL J D: Sexually transmitted diseases in children: human papillomavirus infection, **80**

P
PANSERA B *see* PARAZZINI F *et al*
PARAZZINI F
D'ORO L C, BIANCHI C, MEZZANOTTE C, NALDI L, IMBERTI G L, PANSERA B, CAINELLI R, CARLINO A, GRAEFEMBERGHI S: Determinants of hepatitis B virus surface antigen positivity in adults attending sexually transmitted disease clinics in Italy: *correspondence*, **345**
D'ORO L C, NEGRI E, LA VECCHIA C: Determinants of sexual habits in Italian females, **394**
PATEL R, ABBOTT M, HICKS D A: Chlamydia trachomatis detection: *matters arising*, **65**
PATTMAN R S *see* WARDROPPER A and PATTMAN R S
PĚČ J, STRAKA Š, NOVOMESKÝ F, KLIMENT J, PEC M, LAZÁROVÁ Ž: Mechanical urethritis and ascendent genitourinary infections due to sexual stimulation of the urethra by inserted foreign bodies, **399**
PEC M *see* PEC J *et al*
PELZER A *see* DUNCAN M E *et al*
PEPIN J *see* ISON C A *et al*
PERSSON E, JARLBRO G: Sexual behaviour among youth clinic visitors in Sweden: knowledge and experiences in an HIV perspective, **26**
PETERS B S *see* COKER R J *et al*
PETERSEN C S *see* OLIVARIUS F de F *et al*
PETRACK J *see* SHERR L *et al*
PHELPS F *see* MELLANBY A *et al*
PILLAY D, GRIFFITHS P D: Diagnosis of cytomegalovirus infection: a review, **183**
PIOT P *see* VAN DYCK E *et al*
VAN DYCK E and PIOT P
PLUMB J B *see* ARYA O P and PLUMB J B
POH C L, KHNG H P, LIM C K, LOH G K: Molecular typing of *Neisseria gonorrhoeae* by restriction fragment length polymorphisms, **106**

Q
QUINN M *see* TABRIZI S N *et al*

R
RADCLIFFE K W *see* WHITE D J and RADCLIFFE K W
RAJKUMAR L *see* MURUGAN S *et al*
RAVI-SOCKANATHAN: HIV infection in Tirupati, India: *matters arising*, **199**
RENTON A: Declining trends in some STDs in Belgium: *correspondence*, **144**
RIJSDIJK A J *see* COUTINHO R A *et al*
ROBINSON A J, WAUGH M A: Seventh IUVDT Regional Conference on Sexually Transmitted Diseases, Kuala Lumpur, 5–7 September 1991, **139**
RODITI D *see* MEYER M P *et al*
ROGSTAD K E, DIXON C A, AHMED I H: The management of subclinical wart virus infection of the cervix in a genitourinary clinic, **307**
ROHRSHEIM R *see* DONOVAN B *et al*
ROOPE N S *see* ISON C A *et al*
ROSS J *see* YOUNG H *et al*
ROSS M W: STDs in injecting drug users: *matters arising*, **65**
ROSSAU R *see* VAN DYCK E *et al*
ROWEN D
CARNE C A, SONNEX C: Staghorn claculus presenting as sterile pyuria, **403**
CARNE C A, SONNEX C, COPPER P: Increased incidence of cervical cytological abnormalities in women with genital warts: *correspondence*, **145**
ROY R B *see* DE SILVA A H *et al*
RUGEMALILA J *see* MAYAUD P *et al*

S
SALLA R *see* ZEKENG L *et al*
SALT H *see* BOR R *et al*
SANTOS M F Q *see* LASSUS A *et al*
SARGENT C *see* GRANT A *et al*
SAVALL R, BALANZO X, FERNANDEZ J L, VALLS F, SORIANO V: HIV-1 and HIV2 in Spain: *correspondence*, **143**
SCARAVILLI F *see* DERUITER A *et al*
GRANT A *et al*
SCOULAR A, ADLER M W: "The health of the nation": a challenge for genitourinary medicine: *editorial*, **207**
see also EVANS J K *et al*
SECKA O *see* ISON C A *et al*
SHAH P N, SMITH J R, IATRAKIS G M, KELL P D, BARTON S E, KITCHEN V S: HIV infection and menstrual abnormalities: *correspondence*, **425**
SHERGOLD C *see* WILLIAMS I G *et al*
SHERR L
HEDGE B, STEINHART K, DAVEY T, PETRACK J: Unique patterns of bereavement in HIV: implications for counselling, **378**
STRONG C: Safe sex and women, **32**
SIVAPALAN S *see* DE SILVA A H *et al*
SMITH J R *see* SHAH P N *et al*
SOKAL D *see* ZEKENG L *et al*
SONNEX C *see* ROWEN D *et al*
SORIANO V, TOR J: Multifocal bone tuberculosis in one AIDS patient: *correspondence*, **273**
see also SAVALL R *et al*
SPARROW M J *see* MEEKIN G E *et al*
SPITTLE M F *see* COTTRILL C P *et al*
SRINIVASAN G *see* MURUGAN S *et al*
STEINHART K *see* SHERR L *et al*
STOLZ E *see* BERG G M v d *et al*
ENGELKENS H J H *et al*
STØRVOLD G *see* NILSEN A *et al*
STRAKA Š *see* PĚČ J *et al*
STRAZZI S, LEBBE C, GEOFFRAY C, ABLON G, MOREL P, VEROLA O, MOLINA J M: Aphthous ulcers in HIV-infected patients: treatment with thalidomide: *correspondence*, **424**
STRONG C *see* SHERR L and STRONG C
SVENSSON L *see* MARES I *et al*
SYRJÄNEN S *see* WIKSTRÖM A *et al*

T
TABRIZI S N, TAN J, QUINN M, BORG A J, GARLAND S M: Detection of genital human papillomavirus (HPV) DNA by PCR and other conventional hybridisation techniques in male partners of women with abnormal Papanicolaou smears, **370**
TALWAR S, TUTAKNE M A, TIWARI V D: VDRL titres in early syphilis before and after treatment, **120**
TAN J *see* TABRIZI S N *et al*
TAYLOR-ROBINSON D *see* HILLMAN R J *et al*
THIN R N T *see* KINGHORN G R *et al*
TIBAUX G *see* DUNCAN M E *et al*
TILLING J *see* BOR R *et al*
TIMMINS D *see* O'MAHONY C and TIMMINS D
TIWARI V D *see* TALWAR S *et al*
TOBIAS M *see* MEEKIN G E *et al*
TOBIN J M, LOO P, GRANGER S E: Treatment of vaginal candidosis: A comparative study of the efficacy and acceptability of itraconazole and clotrimazole, **36**
TOR J *see* SORIANO V and TOR J
TØRUD E *see* NILSEN A *et al*
TREBUCQ A *see* ZEKENG L *et al*
TRIPP J H *see* MELLANBY A *et al*
TURNER A *see* GASCOYNE-BINZI D M *et al*
TUTAKNE M A *see* TALWAR S *et al*

V
VALLS F *see* SAVALL R *et al*
VAN DEN ENDE J *see* O'FARRELL N *et al*
VAN DEN HOEK J A R *see* COUTINHO R A *et al*
VAN DER SLUIS J J: Laboratory techniques in the diagnosis of syphilis: a review, **413**
see also ENGELKENS H J H *et al*
VAN DYCK E
PIOT P: Laboratory techniques in the investigation of chancroid, lymphogranuloma venereum and donovanosis, **130**
ROSSAU R, DUHAMEL M, BEHETS F, LAGA M, NZILA M, BYGDEMAN S, VAN HEUVERSWIJN H, PIOT P: Antimicrobial susceptibility of *Neisseria gonorrhoeae* in Zaire: high level plasmid-mediated tetracycline resistance in Central Africa, **111**
VAN HEUVERSWIJN H *see* VAN DYCK E *et al*
VEROLA O *see* STRAZZI S *et al*
VIDEO REVIEWS: STANWAY A: The lovers' guide, **67**: The lovers' guide II, **427**
VILHELMSSON B *see* MARES I *et al*
VON KROGH G *see* WIKSTRÖM A *et al*

W
WADE A A H *see* MARKOS A R *et al*
WAGLE U D *see* MALI B N *et al*
WALDRON S *see* HILLMAN R J *et al*
WALKER M M *see* HILLMAN R J *et al*
WALSH M *see* HANDLEY J M *et al*
WALZMAN M *see* MARKOS A R *et al*
WARDROPPER A, PATTMAN R S: An increase in pharyngeal gonorrhoea: cause for concern regarding HIV infection: *correspondence*, **343**
WATONSI E *see* NDUMBE P M *et al*
WAUGH M A *see* ROBINSON A J and WAUGH M A
WEBB A *see* DERUITER A *et al*
WELLER I V D *see* GRANT A *et al*
WHANG K K *see* LEE J B *et al*
WHITE D J
MALET R, AHMED-JUSHUF I H: Antibiotic prophylaxis for cold

coagulation of the cervix? *correspondence*, **63**
RADCLIFFE K W: Oral sex and recurrent vaginal candidiasis: *matters arising*, **199**
WIKSTRÖM A, HEDBLAD M-A, JOHANSSON B, KALANTARI M, SYRJÄNEN S, LINDBERG M, VON KROGH G: The acetic acid test in evaluation of subclinical genital papillomavirus infection: a comparative study on penoscopy, histopathology, virology and scanning electron microscopy findings, **90**
WILLIAMS I G, SHERGOLD C, EVANS B, BEECHAM M, MILLER R, JOHNSON A M: Auditing AIDS reporting. Experience from a central London district 1982-1991, **390**
WILLIAMS J: Malignant syphilis in a teenage girl: *correspondence*, **342**
WILLIAMS O E
ALAWATTEGAMA A B: Increased evidence of cervical cytological abnormalities in women with genital warts: *correspondence*, **145**
KYNASTON J, DIXON G, ARYA O P: Amyloid tumour of the urethra presenting as non-specific urethritis, **332**
WOODCOCK K: Antibiotic prophylaxis for cold coagulation of the cervix: *matters arising*, **200**
WOOLLEY P D *see* KINGHORN G R *et al*
WORM A-M *see* OLIVARIUS F de F *et al*
WREGHITT T G *see* GRAY J J and WREGHITT T G

YANGA D *see* NDUMBE P M *et al*
ZEKENG L *et al*

YOUNG H, MOYES A, ROSS J, McMILLAN A: A serovar analysis of heterosexual gonorrhoea in Edinburgh 1986-90, **16**
YOUNG S M, KEANE F E A: Children seen by Leicester genitourinary medicine physicians 1988-1990: *correspondence*, **423**
see also MALET R and YOUNG S M

ZEKENG L, YANGA D, TREBUCQ A, SOKAL D, SALLA R, KAPTUE L: HIV prevalence in patients with sexually transmitted diseases in Yaounde, (Cameroon) in 1989 and 1990: necessity of an STD control programme, **117**

VOLUME 68: SUBJECT INDEX

A

Acetic acid test, in evaluation of subclinical genital papillomavirus infection, comparative study, **90**

Acyclovir vs isoprinosine (immunovir), for suppression of recurrent genital herpes simplex infection, **312**

Africa, early congenital syphilis, criteria, **290**

AIDS
- CMV polyradiculopathy, suggestions for new strategies in treatment: *correspondence*, **192**
- and concurrent salmonellosis and histoplasmosis, unusual co-existence, **258**
- and cytomegalovirus: *correspondence*, **60**
- and multifocal bone tuberculosis: *correspondence*, **273**
- and non-tuberculous cavitary disease, West African man, **405**
- related primary intrathoracic lymphoma: *clinico-pathological conference*, **235**
- reporting, auditing, experience from central London district 1982-1991, **390**

Amsterdam, decreasing incidence of PID, **353**

Amyloid tumour of the urethra presenting as non-specific urethritis, male, **332**

Annular lesions, in congenital syphilis: *correspondence*, **195**

Anogenital warts
- and cervical squamous intraepithelial lesions, colposcopic case-control study, **300**
- treated with interferon alpha with/without cryotherapy, immunocytochemistry of adjacent epithelium, **100**

Antitrichomonal (cross) immunity, as important factor in vulvar vestibulitis syndrome pathogenesis: *correspondence*, **196**

Aphthous ulcers, in HIV infected patients, thalidomide treatment: *correspondence*, **424**

Audit, clinical, in genitourinary medicine, "why, who, what, how and when?": *editorial*, **205**

Auditing AIDS reporting, experience from central London district 1982–1991, **390**

Azithromycin and doxycycline compared in chlamydial urethritis in males, **325**

B

Bacterial vaginosis, diagnostic approach, **134**

Belgium, declining trends in some STDs: *matters arising*, **144**

Bereavement, in HIV, unique patterns, implications for counselling, **378**

Bombay, cervical cytology in prostitutes: *correspondence*, **62**, **274**

Bronchopulmonary Kaposi's sarcoma, fulminant, case report and pathology, **11**

Bullous impetigo, in homosexual men, risk marker for HIV-1 infection?, **159**

C

Cameroon
- sexually transmitted infections in selected high risk populations: *correspondence*, **193**
- STDs, HIV prevalence, need for programme, **117**

Candidiasis
- vaginal, recurrent
- itraconazole versus clotrimazole, **374**
- value of treating sexual partners with ketoconazole, **174**
- vulvo-vaginal, recurrent, and oral sex: *correspondence*, **61**

Captia Syphilis-G EIA, false positive reactions in sera from Lyme disease: *correspondence*, **142**

Cavitary disease, non-tuberculous, West African man with AIDS, **405**

Ceftriaxone, single dose, failure in donovanosis (granuloma inguinale): *matters arising*, **146**

Cervical cytological abnormalities, increased incidence in women with genital warts: *matters arising*, **145**

Cervical cytology
- 1991 survey, genitourinary medicine clinics, England: *correspondence*, **198**
- prostitutes, Bombay, India: *correspondence*, **62**, **274**

Cervical intraepithelial neoplasia
- loop diathermy: *correspondence*, **196**
- and subclinical wart virus treatment, **307**

Cervical squamous intraepithelial lesions with anogenital warts, colposcopic case-control study, **300**

Cervix, cold coagulation, antibiotic prophylaxis: *correspondence*, **63**: *matters arising*, **200**

Chancroid, laboratory techniques in investigation, **130**

Children
- seen by Leicester genitourinary physicians 1988–1990: *correspondence*, **423**
- STDs, **2**: *correspondence*, **423**
- human papillomavirus infection, **80**

Chlamydial infection
- asymptomatic, adolescent men, screening by examination of voided urine: *correspondence*, **344**
- detection: *matters arising*, **65**
- in the elderly: *correspondence*, **194**
- genital
  - Ethiopian women, seroepidemiological and socioeconomic studies, **221**
  - females, factors associated, **217**
- and oral contraceptive use, quantitative review, **209**
- urethritis in males, azithromycin and doxycycline compared, **325**

Ciprofloxacin
- double dose, in highly resistant gonorrhoea, treatment failure: *correspondence*, **274**
- and perfloxacin in uncomplicated gonococcal urethritis, males, **260**: correction, **428**

Clotrimazole
- and itraconazole compared, vaginal candidosis, **36**
- versus itraconazole in recurrent vaginal candidiasis, **374**

Cold coagulation of the cervix, antibiotic prophylaxis: *correspondence*, **63**: *matters arising*, **200**

Congenital syphilis, early, criteria, perspective from Africa, **290**

Cryoprobe, sterilisation, in STD clinic: *correspondence*, **275**

Cryotherapy, anogenital warts, with/without interferon alpha, immunocytochemistry of adjacent epithelium, **100**

Cryptococcosis, cavitating pulmonary, in HIV antibody positive patient treated with fluconazole, **42**

Cytomegalovirus
- and AIDS: *correspondence*, **60**
- diagnosis, review, **183**
- disseminated, with HIV disease: clinico-pathological conference, **75**

Cytomegalovirus polyradiculopathy, in AIDS, suggestions for new strategies in treatment: *correspondence*, **192**

D

Deafness and syphilis, otologist's view, **420**

Denmark, sexual behaviour of women attending inner-city STD clinic before and after general campaign for safer sex, **296**

Donovanosis
- failure of single dose ceftriaxone: *matters arising*, **146**
- laboratory techniques in investigation, **130**
- trends in reported cases, Durban, South Africa, **366**

Doxycycline and azithromycin compared in chlamydial urethritis in males, **325**

Drug users, injecting, and STDs: *matters arising*, **65**

Durban, South Africa
- trends in reported cases of donovanosis, **366**
- urogenital tract infections in pregnancy, **39**

E

Ear problems and syphilis, otologist's view, **420**

Edinburgh, serovar analysis of heterosexual gonorrhoea, 1986-90, **16**

Epithelium, adjacent to anogenital warts, treated with interferon alpha with/without cryotherapy, immunocytochemistry, **100**

Ethiopia, genital chlamydial infection in women, seroepidemiological and socioeconomic studies, **221**

F

Fleroxacin, and penicillin G plus probenecid compared, in acute uncomplicated gonococcal infections, **317**

Fluorescent treponemal antibody absorption IgM test in congenital syphilis, **249**

Foreign body
- causing mechanical urethritis and ascendent urinary tract infections, **399**
- unusual, in preputial sac, **334**

Foscarnet, and vulval ulceration, **182**

Fourniers gangrene, following hyfrecation in HIV, **401**

Fungal infections, laboratory techniques in investigation, **409**

G

The Gambia, dominance of a multiresistant strain of *N. gonorrhoeae* among prostitutes and STD patients, **356**

Gangrene, Fourniers, following hyfrecation in HIV, **401**
Genital herpes simplex infection
prodromal symptoms: *correspondence*, **347**
psychosocial needs of sufferers: *correspondence*, **424**
recurrent, acyclovir vs isoprinosine (immunovir) for suppression, **312**
Genital ulcer disease, sexual behaviour in Zulu men and women with, **245**
Genital warts
choosing equipment for treating: *matters arising*, **144**
increased incidence of cervical cytological abnormalities in women with: *matters arising*, **145**
lidocaine/prilocaine cream (EMLA(R)) and infiltration anaesthesia compared for punch biopsy and electrocoagulation, **162**
young women, and emerging incidence of vulval intra-epithelial neoplasia: *correspondence*, **346**
Genitourinary clinic, management of subclinical wart virus infection of the cervix, **307**
Genitourinary medicine
challenge, "The health of the nation": *editorial*, **207**
clinical audit, "why, who, what, how and when?": *editorial*, **205**
HIV and substance misuse, women-only clinic, **386**
Genitourinary Medicine, improvements in design and substance: *editorial*, **1**
Genomic fingerprinting, penicillinase-producing strains of *Neisseria gonorrhoeae*, Valencia, Spain, **170**
Gonococcal infections
acute uncomplicated, fleroxacin and penicillin G plus probenecid compared, **317**
genital, females, factors associated, **217**
Gonococcal urethritis, uncomplicated, perfloxacin and ciprofloxacin, **260**: correction, **428**
Gonorrhoea
heterosexual, Edinburgh 1986–90, serovar analysis, **16**
highly resistant, treatment failure using double dose ciprofloxacin: *correspondence*, **274**
Granuloma annulare, penis, 47: *matters arising*, **277**
Granuloma inguinale, serological test, **269**
see also Donovanosis

H
"Health of the nation", challenge for genitourinary medicine: *editorial*, **207**
Hepatitis, sexually transmitted: *review*, **123**
Hepatitis B virus infection
heterosexual transmission, in Caucasians attending a Genitourinary Medicine clinic: *matters arising*, **199**
laboratory techniques in diagnosis and assessment, **263**
in STD clinic attenders, African city (Jos, Nigeria): *correspondence*, **342**
surface antigen positivity, in adults attending STD clinics, Italy: *correspondence*, **345**
Histoplasmosis and salmonellosis, concurrent, in AIDS, unusual co-existence, **258**
HIV infection
advanced, intensive care for: *clinico-pathological conference*, **154**
/AIDS, as key area in "The Health of the nation": *editorial*, **207**
among heterosexual travellers attending Hospital for Tropical Diseases, London, **309**
antibody positive patient, fluconazole treated, developing cavitating pulmonary cryptococcosis, **42**
and aphthous ulcers, thalidomide treatment: *correspondence*, **424**
bereavement, unique patterns, implications for counselling, **378**
chronic microsporidian infection of nasal mucosae, sinuses and conjunctivae, **179**
Fourniers gangrene following hyfrecation, **401**
genitourinary medicine and substance misuse, women-only clinic, **386**
and increase of pharyngeal gonorrhoea: *correspondence*, **343**
knowledge
and safe sex, women, **32**: *matters arising*, **200**
and youth sexual behaviour, Sweden, **26**
and menstrual disorders: *correspondence*, **425**
prevalence in patients with STDs, Yaounde (Cameroon), 1989 and 1990, STD control programme necessity, **117**
resuscitation: *editorial*, **151**
social care services for patients, London teaching hospital, evaluation, **382**
testing in genitourinary medicine, sustained increased demand in 1991: *correspondence*, **275**: correction, **428**
Tirupati, India: *matters arising*, **199**
transmitted to children, **283**
women, incorporating patients' views in planning services, **233**
HIV-1 infection
bullous impetigo in homosexual men as risk marker, **159**
and HIV-2, Spain: *correspondence*, **143**
transmission by oroanal intercourse, **254**
Homosexual men, bullous impetigo as risk marker for HIV-1 infection?, **159**

I
IgM rheumatoid factor removal and performance of FTA-ABS (IgM) test in congenital syphilis, **249**
Infiltration anaesthesia, and lidocaine/prilocaine cream (EMLA(R)) compared, for analgesic efficacy, punch biopsy and electrocoagulation of genital warts in men, **162**
Inflammatory cervical cytology, and STDs, association between, **305**
InPouch TV test, for clinical evaluation of trichomoniasis, San Jose, Costa Rica, **328**
Interferon alpha, with/without cryotherapy, anogenital warts, immunocytochemistry of adjacent epithelium, **100**
Isoprinosine (immunovir) vs acyclovir, for suppression of recurrent genital herpes simplex infection, **312**
Italy, hepatitis B virus surface antigen positivity in adults attending STD clinics: *correspondence*, **345**
Itraconazole
and clotrimazole compared, vaginal candidosis, **36**
versus clotrimazole in recurrent vaginal candidiasis, **374**

J
Jos, Nigeria, hepatitis-B virus infection in STD clinic attenders: *correspondence*, **342**

K
Kaposi's sarcoma, fulminant bronchopulmonary, case report and pathology, **11**
Ketoconazole, value of treating sexual partners of women with recurrent vaginal candidiasis, **174**

L
Lichen sclerosus, and acute urinary obstruction, **177**
Lidocaine/prilocaine cream (EMLA(R)), and infiltration anaesthesia compared, for analgesic efficacy, punch biopsy and electrocoagulation of genital warts in men, **162**
Liverpool, seamen's dispensary, 1924–1991, **84**
Loop excision, large, of transformation zone (LLETZ), or loop diathermy: *correspondence*, **196**
Lyme disease, Captia Syphilis-G EIA, false positive reactions: *correspondence*, **142**
Lymphangioma circumscriptum of the vulva, case report, **331**
Lymphogranuloma venereum, laboratory techniques in investigation, **130**
Lymphoma, primary intrathoracic, AIDS related: *clinico-pathological conference*, **235**

M
Menstrual abnormalities and HIV infection: *correspondence*, **425**
Microsporidian infection, chronic, nasal mucosae, sinuses and conjunctivae, in HIV disease, **179**
Mozambique, materno-fetal transmission of syphilis: *correspondence*, **141**
Mycobacterium gordonae genitourinary disease, **45**

N
Neisseria gonorrhoeae
antibiotic susceptibilities, serotypes and auxotypes, New Zealand, **321**
dominance of a multiresistant strain, prostitutes and STD patients, The Gambia, **356**
molecular typing by restriction fragment length polymorphisms, **106**
penicillinase-producing strains, genomic fingerprinting, Valencia, Spain, **170**
Zaire, antimicrobial susceptibility, high level plasmid-mediated tetracycline resistance, **111**: *matters arising*, **277**
New Zealand, *N. gonorrhoeae*, antibiotic susceptibilities, serotypes and auxotypes, **321**
Notices, **66**, **146**, **278**, **428**

O
Oral contraceptive use, and *Chlamydia trachomatis*, quantitative review, **209**
Oral sex
and recurrent vaginal candidiasis: *matters arising*, **199**
and recurrent vulvo-vaginal candidiasis: *correspondence*, **61**
Oroanal intercourse, and HIV-1 infection transmission, **254**

P
Papillomavirus infection, human
genital
DNA detection by PCR in male partners of women with abnormal Papanicolaou smears, **370**
prevalence, Wellington women, **228**
subclinical, acetic acid test in evaluation, comparative study, **90**
laboratory techniques, **50**
STDs in children, **80**
Pediculosis pubis, factors associated, **294**

Pelvic inflammatory disease, decreasing incidence, Amsterdam, **353**
Penicillin G plus probenecid, and fleroxacin compared, in acute uncomplicated gonococcal infections, **317**
Penicillinase-producing *Neisseria gonorrhoeae* strains, genomic fingerprinting, Valencia, Spain, **170**
Penis
dermatoses, clinical and histopathological study, **166**
granuloma annulare, **47**: *correspondence*, **277**
Percoll purified *Treponema pallidum*, Nichols strain, influence of different sera on in vitro immobilisation, **20**
Perfloxacin and ciprofloxacin in uncomplicated gonococcal urethritis, males, **260**: correction, **428**
Pharyngeal gonorrhoea, increase, cause for concern regarding HIV infection: *correspondence*, **343**
***Pneumocystis carinii* pneumonia**, laboratory investigation, **336**
Polyradiculopathy, CMV, in AIDS, suggestions for new strategies in treatment: *correspondence*, **192**
Pre-HIV antibody testing, too much fuss, **9**
Pregnancy, urogenital tract infections, Durban, South Africa, **39**
Preputial sac, unusual foreign body in, **334**
Prodromal symptoms in genital herpes simplex infection: *correspondence*, **347**
Prostatitis, diagnosis: *matters arising*, **144**
Prostitutes, cervical cytology, Bombay, India: *correspondence*, **62**, 274
Psychosocial needs of genital herpes sufferers: *correspondence*, **424**
Pyuria, sterile, staghorn calculus presenting as, **403**

R
Restriction fragment length polymorphisms, in molecular typing of *Neisseria gonorrhoeae*, **106**

S
Safe sex, and women, **32**: *matters arising*, **200**
Salmonellosis and histoplasmosis, concurrent, in AIDS, unusual co-existence, **258**
San Jose, Costa Rica, trichomoniasis, clinical evaluation using InPouch TV test, **328**
Scabies, factors associated, **294**
Seamen's dispensary, Liverpool 1924–1991, **84**
Sexual behaviour
of women attending an inner-city STD clinic before and after general campaign for safer sex, Denmark, **296**
youth, Sweden, **26**
Zulu men and women with genital ulcer disease, **245**
Sexual habits, determinants, Italian females, **394**
Sexually transmitted diseases
children, **2**: *correspondence*, **423**
human papillomavirus infection, **80**
clinic attenders, and hepatitis-B virus infection, Jos, Nigeria: *correspondence*, **342**
control: *correspondence*, **197**
declining trends, Belgium: *matters arising*, **144**
HIV prevalence, Yaounde (Cameroon), need for control programme, **117**
and inflammatory cervical cytology, association between, **305**
in injecting drug users: *matters arising*, **65**
International Society for STD Research, 9th meeting, Banff, 1991, report, **189**
risks, teenagers, need for balanced information provision, **241**
seventh IUVDT Regional Conference, Kuala Lumpur, 5–7 September 1991, **139**
trends in Zambia, 1987–89: *correspondence*, **192**
Sexually transmitted diseases, in selected high risk populations, Cameroon: *correspondence*, **193**
Sexually transmitted hepatitis: *review*, **123**
Singapore, perfloxacin and ciprofloxacin in uncomplicated gonococcal urethritis, males, **260**: correction, **428**
Social care services for patients with HIV, London teaching hospital, evaluation, **382**
South Korea, syphilis prevalence rapidly decreasing: *correspondence*, **60**
Spain, HIV-1 and HIV-2: *correspondence*, **143**
Staghorn calculus presenting as sterile pyuria, **403**
Substance abuse, HIV and genitourinary medicine, women-only clinic, **386**
Sweden, sexual behaviour among youth clinic visitors, **26**
Syphilis
congenital
annular lesions: *correspondence*, **195**
early, criteria, perspective from Africa, **290**
FTA-ABS (IgM) test, **249**
and the ear, otologist's view, **420**
early, VDRL titres before and after treatment, **120**
laboratory techniques in diagnosis, review, **413**
malignant, teenage girl: *correspondence*, **342**
materno-fetal transmission, Mozambican parturients: *correspondence*, **141**
prevalence rapidly decreasing, South Korea: *correspondence*, **60**

T
Tanzania, value of urine specimens in screening for male urethritis, **361**
Teenagers, risks of STDs, need for balanced information provision, **241**
Tetracycline resistance, high level plasmid-mediated, antimicrobial susceptibility of *Neisseria gonorrhoeae*, Zaire, **111**: *matters arising*, 277
Thalidomide treatment for aphthous ulcers in HIV infected patients: *correspondence*, **424**
Tirupati, India, HIV infection: *matters arising*, **199**
Toxoplasmosis, laboratory techniques, **55**
Travellers, heterosexual, attending Hospital for Tropical Diseases, London, HIV infection, **309**
Trichomoniasis, clinical evaluation using InPouch TV test, San Jose, Costa Rica, **328**
Tuberculosis, multifocal bone, in AIDS: *correspondence*, **273**

U
Urethritis
male, value of urine in screening, Tanzania, **361**
mechanical, and ascendent genitourinary infections, due to sexual stimulation of urethra by inserted foreign bodies, **299**
non-specific, amyloid tumour of the urethra presenting as, male, **332**
Urinary obstruction, and lichen sclerosus, **177**
Urinary tract infections, ascendent, and mechanical urethritis, caused by foreign bodies, **399**
Urine specimens, value in male urethritis screening, Tanzania, **361**
Urogenital tract infections, in pregnancy, Durban, South Africa, **39**

V
Vaginal candidiasis, recurrent
and oral sex: *matters arising*, **199**
value of treating sexual partners with ketoconazole, **174**
Vaginal candidosis, itraconazole and clotrimazole compared, **36**
Vaginosis, bacterial, diagnostic approach, **134**
Valencia, Spain, genomic fingerprinting of penicillinase-producing strains of *N. gonorrhoeae*, **170**
VDRL titres in early syphilis before and after treatment, **120**
Vulva
intra-epithelial neoplasia, emerging incidence in young women with genital warts: *correspondence*, **346**
lymphangioma circumscriptum, case report, **331**
ulceration, associated with foscarnet, **182**
vestibulitis syndrome, antitrichomonal (cross) immunity as important factor in pathogenesis: *correspondence*, **196**
Vulvo-vaginal candidiasis, recurrent, and oral sex: *correspondence*, **61**

W
Warts
virus, subclinical, infection of cervix, management, genitourinary clinic, **307**
see also Anogenital warts: Genital warts
Wellington, prevalence of genital HPV, women, **228**
Women-only clinic for HIV, genitourinary medicine and substance misuse, **386**
Women's health, potential for better co-ordination of services: *matters arising*, **65**

Y
Youth, sexual behaviour, Sweden, **26**

Z
Zaire, antimicrobial susceptibility of *Neisseria gonorrhoeae*, high level plasma-mediated tetracycline resistance, **111**: *matters arising*, 277
Zambia, national STD trends, 1987–89: *correspondence*, **192**
Zulu men and women with genital ulcer disease, sexual behaviour, **245**